



|            |                  |
|------------|------------------|
| Operator   | Withheld         |
| Well       | Withheld         |
| Rig        | Withheld         |
| Date       | September 2026   |
| Tallied by | A.E. & Sons, LLC |

|              |                               |
|--------------|-------------------------------|
| Casing OD    | 7.625 in.                     |
| ID (drift)   | 6.875 (6.750) drift           |
| Weight       | 29.7#                         |
| Grade        | P-110 HC                      |
| Connection   | BTC                           |
| Make-up loss | 4.688 in. (0.39 ft) per joint |

**266**

Joints tallied (of 266 on location)

**11,966.82 ft**

Total length, box to pin

**11,863.08 ft**

Total less make-up loss

**4**

Pup joints, listed below

Lengths are measured end of box to end of pin. The make-up loss for the connection is subtracted from every joint so the running total matches the string as it will be installed.

| Joint | Length, box to pin (ft) | Less M/U loss (ft) | 10-joint subtotal (ft) | Running total (ft) | Joints left | Comments |
|-------|-------------------------|--------------------|------------------------|--------------------|-------------|----------|
| 1     | 43.88                   | 43.49              |                        | 43.49              | 265         |          |
| 2     | 44.95                   | 44.56              |                        | 88.05              | 264         |          |
| 3     | 45.60                   | 45.21              |                        | 133.26             | 263         |          |
| 4     | 45.62                   | 45.23              |                        | 178.49             | 262         |          |
| 5     | 43.76                   | 43.37              |                        | 221.86             | 261         |          |
| 6     | 44.99                   | 44.60              |                        | 266.46             | 260         |          |
| 7     | 45.12                   | 44.73              |                        | 311.19             | 259         |          |
| 8     | 45.61                   | 45.22              |                        | 356.41             | 258         |          |
| 9     | 45.60                   | 45.21              |                        | 401.62             | 257         |          |
| 10    | 45.68                   | 45.29              | 446.91                 | 446.91             | 256         |          |
| 11    | 45.68                   | 45.29              |                        | 492.20             | 255         |          |
| 12    | 45.67                   | 45.28              |                        | 537.48             | 254         |          |
| 13    | 45.69                   | 45.30              |                        | 582.78             | 253         |          |
| 14    | 45.70                   | 45.31              |                        | 628.09             | 252         |          |
| 15    | 45.69                   | 45.30              |                        | 673.39             | 251         |          |
| 16    | 45.67                   | 45.28              |                        | 718.67             | 250         |          |
| 17    | 44.96                   | 44.57              |                        | 763.24             | 249         |          |
| 18    | 45.87                   | 45.48              |                        | 808.72             | 248         |          |
| 19    | 45.67                   | 45.28              |                        | 854.00             | 247         |          |
| 20    | 45.02                   | 44.63              | 451.72                 | 898.63             | 246         |          |
| 21    | 45.66                   | 45.27              |                        | 943.90             | 245         |          |
| 22    | 45.69                   | 45.30              |                        | 989.20             | 244         |          |
| 23    | 45.00                   | 44.61              |                        | 1,033.81           | 243         |          |
| 24    | 45.69                   | 45.30              |                        | 1,079.11           | 242         |          |
| 25    | 45.67                   | 45.28              |                        | 1,124.39           | 241         |          |
| 26    | 44.97                   | 44.58              |                        | 1,168.97           | 240         |          |
| 27    | 45.69                   | 45.30              |                        | 1,214.27           | 239         |          |
| 28    | 45.69                   | 45.30              |                        | 1,259.57           | 238         |          |
| 29    | 45.66                   | 45.27              |                        | 1,304.84           | 237         |          |
| 30    | 45.69                   | 45.30              | 451.51                 | 1,350.14           | 236         |          |
| 31    | 45.69                   | 45.30              |                        | 1,395.44           | 235         |          |
| 32    | 45.56                   | 45.17              |                        | 1,440.61           | 234         |          |
| 33    | 45.68                   | 45.29              |                        | 1,485.90           | 233         |          |
| 34    | 45.68                   | 45.29              |                        | 1,531.19           | 232         |          |
| 35    | 45.69                   | 45.30              |                        | 1,576.49           | 231         |          |
| 36    | 43.76                   | 43.37              |                        | 1,619.86           | 230         |          |



| Joint | Length, box to pin (ft) | Less M/U loss (ft) | 10-joint subtotal (ft) | Running total (ft) | Joints left | Comments |
|-------|-------------------------|--------------------|------------------------|--------------------|-------------|----------|
| 37    | 44.12                   | 43.73              |                        | 1,663.59           | 229         |          |
| 38    | 45.68                   | 45.29              |                        | 1,708.88           | 228         |          |
| 39    | 45.68                   | 45.29              |                        | 1,754.17           | 227         |          |
| 40    | 45.69                   | 45.30              | 449.33                 | 1,799.47           | 226         |          |
| 41    | 45.03                   | 44.64              |                        | 1,844.11           | 225         |          |
| 42    | 45.00                   | 44.61              |                        | 1,888.72           | 224         |          |
| 43    | 45.03                   | 44.64              |                        | 1,933.36           | 223         |          |
| 44    | 45.70                   | 45.31              |                        | 1,978.67           | 222         |          |
| 45    | 45.69                   | 45.30              |                        | 2,023.97           | 221         |          |
| 46    | 45.00                   | 44.61              |                        | 2,068.58           | 220         |          |
| 47    | 45.70                   | 45.31              |                        | 2,113.89           | 219         |          |
| 48    | 45.70                   | 45.31              |                        | 2,159.20           | 218         |          |
| 49    | 45.70                   | 45.31              |                        | 2,204.51           | 217         |          |
| 50    | 45.70                   | 45.31              | 450.35                 | 2,249.82           | 216         |          |
| 51    | 45.69                   | 45.30              |                        | 2,295.12           | 215         |          |
| 52    | 45.69                   | 45.30              |                        | 2,340.42           | 214         |          |
| 53    | 45.68                   | 45.29              |                        | 2,385.71           | 213         |          |
| 54    | 45.68                   | 45.29              |                        | 2,431.00           | 212         |          |
| 55    | 45.06                   | 44.67              |                        | 2,475.67           | 211         |          |
| 56    | 45.68                   | 45.29              |                        | 2,520.96           | 210         |          |
| 57    | 45.67                   | 45.28              |                        | 2,566.24           | 209         |          |
| 58    | 45.02                   | 44.63              |                        | 2,610.87           | 208         |          |
| 59    | 45.70                   | 45.31              |                        | 2,656.18           | 207         |          |
| 60    | 45.68                   | 45.29              | 451.65                 | 2,701.47           | 206         |          |
| 61    | 44.98                   | 44.59              |                        | 2,746.06           | 205         |          |
| 62    | 45.69                   | 45.30              |                        | 2,791.36           | 204         |          |
| 63    | 44.90                   | 44.51              |                        | 2,835.87           | 203         |          |
| 64    | 45.70                   | 45.31              |                        | 2,881.18           | 202         |          |
| 65    | 45.68                   | 45.29              |                        | 2,926.47           | 201         |          |
| 66    | 45.68                   | 45.29              |                        | 2,971.76           | 200         |          |
| 67    | 44.92                   | 44.53              |                        | 3,016.29           | 199         |          |
| 68    | 45.00                   | 44.61              |                        | 3,060.90           | 198         |          |
| 69    | 45.60                   | 45.21              |                        | 3,106.11           | 197         |          |
| 70    | 45.61                   | 45.22              | 449.86                 | 3,151.33           | 196         |          |
| 71    | 44.95                   | 44.56              |                        | 3,195.89           | 195         |          |
| 72    | 45.62                   | 45.23              |                        | 3,241.12           | 194         |          |
| 73    | 43.72                   | 43.33              |                        | 3,284.45           | 193         |          |
| 74    | 45.61                   | 45.22              |                        | 3,329.67           | 192         |          |
| 75    | 45.60                   | 45.21              |                        | 3,374.88           | 191         |          |
| 76    | 45.63                   | 45.24              |                        | 3,420.12           | 190         |          |
| 77    | 44.91                   | 44.52              |                        | 3,464.64           | 189         |          |
| 78    | 45.67                   | 45.28              |                        | 3,509.92           | 188         |          |
| 79    | 45.67                   | 45.28              |                        | 3,555.20           | 187         |          |
| 80    | 45.67                   | 45.28              | 449.15                 | 3,600.48           | 186         |          |
| 81    | 45.68                   | 45.29              |                        | 3,645.77           | 185         |          |
| 82    | 45.88                   | 45.49              |                        | 3,691.26           | 184         |          |
| 83    | 45.69                   | 45.30              |                        | 3,736.56           | 183         |          |
| 84    | 45.68                   | 45.29              |                        | 3,781.85           | 182         |          |
| 85    | 45.70                   | 45.31              |                        | 3,827.16           | 181         |          |



| Joint | Length, box to pin (ft) | Less M/U loss (ft) | 10-joint subtotal (ft) | Running total (ft) | Joints left | Comments |
|-------|-------------------------|--------------------|------------------------|--------------------|-------------|----------|
| 86    | 45.68                   | 45.29              |                        | 3,872.45           | 180         |          |
| 87    | 45.69                   | 45.30              |                        | 3,917.75           | 179         |          |
| 88    | 45.68                   | 45.29              |                        | 3,963.04           | 178         |          |
| 89    | 45.90                   | 45.51              |                        | 4,008.55           | 177         |          |
| 90    | 45.66                   | 45.27              | 453.34                 | 4,053.82           | 176         |          |
| 91    | 45.66                   | 45.27              |                        | 4,099.09           | 175         |          |
| 92    | 45.67                   | 45.28              |                        | 4,144.37           | 174         |          |
| 93    | 45.66                   | 45.27              |                        | 4,189.64           | 173         |          |
| 94    | 45.68                   | 45.29              |                        | 4,234.93           | 172         |          |
| 95    | 44.98                   | 44.59              |                        | 4,279.52           | 171         |          |
| 96    | 45.66                   | 45.27              |                        | 4,324.79           | 170         |          |
| 97    | 44.98                   | 44.59              |                        | 4,369.38           | 169         |          |
| 98    | 45.69                   | 45.30              |                        | 4,414.68           | 168         |          |
| 99    | 45.03                   | 44.64              |                        | 4,459.32           | 167         |          |
| 100   | 45.67                   | 45.28              | 450.78                 | 4,504.60           | 166         |          |
| 101   | 45.70                   | 45.31              |                        | 4,549.91           | 165         |          |
| 102   | 45.67                   | 45.28              |                        | 4,595.19           | 164         |          |
| 103   | 43.02                   | 42.63              |                        | 4,637.82           | 163         |          |
| 104   | 45.05                   | 44.66              |                        | 4,682.48           | 162         |          |
| 105   | 43.83                   | 43.44              |                        | 4,725.92           | 161         |          |
| 106   | 45.00                   | 44.61              |                        | 4,770.53           | 160         |          |
| 107   | 45.67                   | 45.28              |                        | 4,815.81           | 159         |          |
| 108   | 42.65                   | 42.26              |                        | 4,858.07           | 158         |          |
| 109   | 43.42                   | 43.03              |                        | 4,901.10           | 157         |          |
| 110   | 42.28                   | 41.89              | 438.39                 | 4,942.99           | 156         |          |
| 111   | 40.18                   | 39.79              |                        | 4,982.78           | 155         |          |
| 112   | 40.68                   | 40.29              |                        | 5,023.07           | 154         |          |
| 113   | 40.45                   | 40.06              |                        | 5,063.13           | 153         |          |
| 114   | 39.85                   | 39.46              |                        | 5,102.59           | 152         |          |
| 115   | 38.27                   | 37.88              |                        | 5,140.47           | 151         |          |
| 116   | 38.24                   | 37.85              |                        | 5,178.32           | 150         |          |
| 117   | 36.45                   | 36.06              |                        | 5,214.38           | 149         |          |
| 118   | 36.80                   | 36.41              |                        | 5,250.79           | 148         |          |
| 119   | 36.10                   | 35.71              |                        | 5,286.50           | 147         |          |
| 120   | 45.24                   | 44.85              | 388.36                 | 5,331.35           | 146         |          |
| 121   | 45.23                   | 44.84              |                        | 5,376.19           | 145         |          |
| 122   | 45.68                   | 45.29              |                        | 5,421.48           | 144         |          |
| 123   | 45.64                   | 45.25              |                        | 5,466.73           | 143         |          |
| 124   | 45.02                   | 44.63              |                        | 5,511.36           | 142         |          |
| 125   | 45.04                   | 44.65              |                        | 5,556.01           | 141         |          |
| 126   | 45.69                   | 45.30              |                        | 5,601.31           | 140         |          |
| 127   | 42.98                   | 42.59              |                        | 5,643.90           | 139         |          |
| 128   | 45.70                   | 45.31              |                        | 5,689.21           | 138         |          |
| 129   | 45.69                   | 45.30              |                        | 5,734.51           | 137         |          |
| 130   | 45.69                   | 45.30              | 448.46                 | 5,779.81           | 136         |          |
| 131   | 45.68                   | 45.29              |                        | 5,825.10           | 135         |          |
| 132   | 42.58                   | 42.19              |                        | 5,867.29           | 134         |          |
| 133   | 45.70                   | 45.31              |                        | 5,912.60           | 133         |          |
| 134   | 45.68                   | 45.29              |                        | 5,957.89           | 132         |          |



| Joint | Length, box to pin (ft) | Less M/U loss (ft) | 10-joint subtotal (ft) | Running total (ft) | Joints left | Comments |
|-------|-------------------------|--------------------|------------------------|--------------------|-------------|----------|
| 135   | 45.68                   | 45.29              |                        | 6,003.18           | 131         |          |
| 136   | 45.68                   | 45.29              |                        | 6,048.47           | 130         |          |
| 137   | 45.67                   | 45.28              |                        | 6,093.75           | 129         |          |
| 138   | 44.98                   | 44.59              |                        | 6,138.34           | 128         |          |
| 139   | 45.68                   | 45.29              |                        | 6,183.63           | 127         |          |
| 140   | 37.50                   | 37.11              | 440.93                 | 6,220.74           | 126         |          |
| 141   | 43.84                   | 43.45              |                        | 6,264.19           | 125         |          |
| 142   | 37.70                   | 37.31              |                        | 6,301.50           | 124         |          |
| 143   | 45.68                   | 45.29              |                        | 6,346.79           | 123         |          |
| 144   | 45.70                   | 45.31              |                        | 6,392.10           | 122         |          |
| 145   | 45.70                   | 45.31              |                        | 6,437.41           | 121         |          |
| 146   | 45.70                   | 45.31              |                        | 6,482.72           | 120         |          |
| 147   | 45.70                   | 45.31              |                        | 6,528.03           | 119         |          |
| 148   | 45.70                   | 45.31              |                        | 6,573.34           | 118         |          |
| 149   | 45.02                   | 44.63              |                        | 6,617.97           | 117         |          |
| 150   | 45.70                   | 45.31              | 442.54                 | 6,663.28           | 116         |          |
| 151   | 44.15                   | 43.76              |                        | 6,707.04           | 115         |          |
| 152   | 45.68                   | 45.29              |                        | 6,752.33           | 114         |          |
| 153   | 45.70                   | 45.31              |                        | 6,797.64           | 113         |          |
| 154   | 45.70                   | 45.31              |                        | 6,842.95           | 112         |          |
| 155   | 45.69                   | 45.30              |                        | 6,888.25           | 111         |          |
| 156   | 45.87                   | 45.48              |                        | 6,933.73           | 110         |          |
| 157   | 45.68                   | 45.29              |                        | 6,979.02           | 109         |          |
| 158   | 44.10                   | 43.71              |                        | 7,022.73           | 108         |          |
| 159   | 45.70                   | 45.31              |                        | 7,068.04           | 107         |          |
| 160   | 44.68                   | 44.29              | 449.05                 | 7,112.33           | 106         |          |
| 161   | 45.70                   | 45.31              |                        | 7,157.64           | 105         |          |
| 162   | 45.68                   | 45.29              |                        | 7,202.93           | 104         |          |
| 163   | 45.61                   | 45.22              |                        | 7,248.15           | 103         |          |
| 164   | 45.60                   | 45.21              |                        | 7,293.36           | 102         |          |
| 165   | 44.47                   | 44.08              |                        | 7,337.44           | 101         |          |
| 166   | 45.60                   | 45.21              |                        | 7,382.65           | 100         |          |
| 167   | 45.22                   | 44.83              |                        | 7,427.48           | 99          |          |
| 168   | 45.70                   | 45.31              |                        | 7,472.79           | 98          |          |
| 169   | 45.68                   | 45.29              |                        | 7,518.08           | 97          |          |
| 170   | 45.70                   | 45.31              | 451.06                 | 7,563.39           | 96          |          |
| 171   | 45.57                   | 45.18              |                        | 7,608.57           | 95          |          |
| 172   | 45.66                   | 45.27              |                        | 7,653.84           | 94          |          |
| 173   | 44.54                   | 44.15              |                        | 7,697.99           | 93          |          |
| 174   | 45.68                   | 45.29              |                        | 7,743.28           | 92          |          |
| 175   | 45.64                   | 45.25              |                        | 7,788.53           | 91          |          |
| 176   | 45.70                   | 45.31              |                        | 7,833.84           | 90          |          |
| 177   | 45.67                   | 45.28              |                        | 7,879.12           | 89          |          |
| 178   | 35.12                   | 34.73              |                        | 7,913.85           | 88          |          |
| 179   | 44.12                   | 43.73              |                        | 7,957.58           | 87          |          |
| 180   | 45.69                   | 45.30              | 439.49                 | 8,002.88           | 86          |          |
| 181   | 45.68                   | 45.29              |                        | 8,048.17           | 85          |          |
| 182   | 45.01                   | 44.62              |                        | 8,092.79           | 84          |          |
| 183   | 45.68                   | 45.29              |                        | 8,138.08           | 83          |          |



| Joint | Length, box to pin (ft) | Less M/U loss (ft) | 10-joint subtotal (ft) | Running total (ft) | Joints left | Comments |
|-------|-------------------------|--------------------|------------------------|--------------------|-------------|----------|
| 184   | 45.35                   | 44.96              |                        | 8,183.04           | 82          |          |
| 185   | 43.15                   | 42.76              |                        | 8,225.80           | 81          |          |
| 186   | 45.70                   | 45.31              |                        | 8,271.11           | 80          |          |
| 187   | 45.68                   | 45.29              |                        | 8,316.40           | 79          |          |
| 188   | 45.69                   | 45.30              |                        | 8,361.70           | 78          |          |
| 189   | 45.68                   | 45.29              |                        | 8,406.99           | 77          |          |
| 190   | 45.70                   | 45.31              | 449.42                 | 8,452.30           | 76          |          |
| 191   | 45.67                   | 45.28              |                        | 8,497.58           | 75          |          |
| 192   | 45.01                   | 44.62              |                        | 8,542.20           | 74          |          |
| 193   | 45.69                   | 45.30              |                        | 8,587.50           | 73          |          |
| 194   | 45.24                   | 44.85              |                        | 8,632.35           | 72          |          |
| 195   | 44.51                   | 44.12              |                        | 8,676.47           | 71          |          |
| 196   | 45.25                   | 44.86              |                        | 8,721.33           | 70          |          |
| 197   | 45.19                   | 44.80              |                        | 8,766.13           | 69          |          |
| 198   | 45.24                   | 44.85              |                        | 8,810.98           | 68          |          |
| 199   | 45.70                   | 45.31              |                        | 8,856.29           | 67          |          |
| 200   | 45.67                   | 45.28              | 449.27                 | 8,901.57           | 66          |          |
| 201   | 45.70                   | 45.31              |                        | 8,946.88           | 65          |          |
| 202   | 45.68                   | 45.29              |                        | 8,992.17           | 64          |          |
| 203   | 45.66                   | 45.27              |                        | 9,037.44           | 63          |          |
| 204   | 45.65                   | 45.26              |                        | 9,082.70           | 62          |          |
| 205   | 44.89                   | 44.50              |                        | 9,127.20           | 61          |          |
| 206   | 45.68                   | 45.29              |                        | 9,172.49           | 60          |          |
| 207   | 45.02                   | 44.63              |                        | 9,217.12           | 59          |          |
| 208   | 45.71                   | 45.32              |                        | 9,262.44           | 58          |          |
| 209   | 45.00                   | 44.61              |                        | 9,307.05           | 57          |          |
| 210   | 45.21                   | 44.82              | 450.30                 | 9,351.87           | 56          |          |
| 211   | 44.15                   | 43.76              |                        | 9,395.63           | 55          |          |
| 212   | 45.23                   | 44.84              |                        | 9,440.47           | 54          |          |
| 213   | 45.22                   | 44.83              |                        | 9,485.30           | 53          |          |
| 214   | 45.67                   | 45.28              |                        | 9,530.58           | 52          |          |
| 215   | 45.70                   | 45.31              |                        | 9,575.89           | 51          |          |
| 216   | 45.67                   | 45.28              |                        | 9,621.17           | 50          |          |
| 217   | 45.67                   | 45.28              |                        | 9,666.45           | 49          |          |
| 218   | 45.67                   | 45.28              |                        | 9,711.73           | 48          |          |
| 219   | 45.66                   | 45.27              |                        | 9,757.00           | 47          |          |
| 220   | 45.05                   | 44.66              | 449.79                 | 9,801.66           | 46          |          |
| 221   | 44.98                   | 44.59              |                        | 9,846.25           | 45          |          |
| 222   | 45.69                   | 45.30              |                        | 9,891.55           | 44          |          |
| 223   | 45.67                   | 45.28              |                        | 9,936.83           | 43          |          |
| 224   | 45.67                   | 45.28              |                        | 9,982.11           | 42          |          |
| 225   | 45.70                   | 45.31              |                        | 10,027.42          | 41          |          |
| 226   | 45.70                   | 45.31              |                        | 10,072.73          | 40          |          |
| 227   | 45.65                   | 45.26              |                        | 10,117.99          | 39          |          |
| 228   | 44.98                   | 44.59              |                        | 10,162.58          | 38          |          |
| 229   | 45.12                   | 44.73              |                        | 10,207.31          | 37          |          |
| 230   | 45.84                   | 45.45              | 451.10                 | 10,252.76          | 36          |          |
| 231   | 44.83                   | 44.44              |                        | 10,297.20          | 35          |          |
| 232   | 45.67                   | 45.28              |                        | 10,342.48          | 34          |          |



| Joint        | Length, box to pin (ft) | Less M/U loss (ft) | 10-joint subtotal (ft) | Running total (ft) | Joints left | Comments |
|--------------|-------------------------|--------------------|------------------------|--------------------|-------------|----------|
| 233          | 44.72                   | 44.33              |                        | 10,386.81          | 33          |          |
| 234          | 45.66                   | 45.27              |                        | 10,432.08          | 32          |          |
| 235          | 43.80                   | 43.41              |                        | 10,475.49          | 31          |          |
| 236          | 45.66                   | 45.27              |                        | 10,520.76          | 30          |          |
| 237          | 45.33                   | 44.94              |                        | 10,565.70          | 29          |          |
| 238          | 45.66                   | 45.27              |                        | 10,610.97          | 28          |          |
| 239          | 45.70                   | 45.31              |                        | 10,656.28          | 27          |          |
| 240          | 45.66                   | 45.27              | 448.79                 | 10,701.55          | 26          |          |
| 241          | 45.67                   | 45.28              |                        | 10,746.83          | 25          |          |
| 242          | 45.11                   | 44.72              |                        | 10,791.55          | 24          |          |
| 243          | 45.87                   | 45.48              |                        | 10,837.03          | 23          |          |
| 244          | 45.68                   | 45.29              |                        | 10,882.32          | 22          |          |
| 245          | 45.66                   | 45.27              |                        | 10,927.59          | 21          |          |
| 246          | 45.66                   | 45.27              |                        | 10,972.86          | 20          |          |
| 247          | 45.67                   | 45.28              |                        | 11,018.14          | 19          |          |
| 248          | 42.66                   | 42.27              |                        | 11,060.41          | 18          |          |
| 249          | 44.08                   | 43.69              |                        | 11,104.10          | 17          |          |
| 250          | 45.67                   | 45.28              | 447.83                 | 11,149.38          | 16          |          |
| 251          | 45.67                   | 45.28              |                        | 11,194.66          | 15          |          |
| 252          | 45.66                   | 45.27              |                        | 11,239.93          | 14          |          |
| 253          | 45.68                   | 45.29              |                        | 11,285.22          | 13          |          |
| 254          | 35.14                   | 34.75              |                        | 11,319.97          | 12          |          |
| 255          | 45.68                   | 45.29              |                        | 11,365.26          | 11          |          |
| 256          | 45.67                   | 45.28              |                        | 11,410.54          | 10          |          |
| 257          | 45.67                   | 45.28              |                        | 11,455.82          | 9           |          |
| 258          | 45.66                   | 45.27              |                        | 11,501.09          | 8           |          |
| 259          | 45.67                   | 45.28              |                        | 11,546.37          | 7           |          |
| 260          | 45.89                   | 45.50              | 442.49                 | 11,591.87          | 6           |          |
| 261          | 45.67                   | 45.28              |                        | 11,637.15          | 5           |          |
| 262          | 45.67                   | 45.28              |                        | 11,682.43          | 4           |          |
| 263          | 44.98                   | 44.59              |                        | 11,727.02          | 3           |          |
| 264          | 45.68                   | 45.29              |                        | 11,772.31          | 2           |          |
| 265          | 45.62                   | 45.23              |                        | 11,817.54          | 1           |          |
| 266          | 45.93                   | 45.54              |                        | 11,863.08          | 0           |          |
| <b>Total</b> | <b>11,966.82</b>        | <b>11,863.08</b>   |                        | <b>11,863.08</b>   |             |          |

**Pup joints**

| Joint | Length, box to pin (ft) | Less M/U loss (ft) | 10-joint subtotal (ft) | Running total (ft) | Joints left | Comments |
|-------|-------------------------|--------------------|------------------------|--------------------|-------------|----------|
| A     | 9.97                    | 9.58               |                        |                    |             |          |
| B     | 9.98                    | 9.59               |                        |                    |             |          |
| C     | 14.96                   | 14.57              |                        |                    |             |          |
| D     | 14.78                   | 14.39              |                        |                    |             |          |